

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S103	0	xgl same java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:07
S104	3887	xml same java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:07
S105	2620	xml with java	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:27
S106	14	xml with java with de\$compil\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:14
S107	5	("6643650").URPN	USPAT	OR	ON	2005/04/26 12:08
S108	665	xml with java with object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:14
S109	58	xml with java with object with representation	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:20
S110	50	S109 not S106	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:15
S111	13	S110 and (((@ad < "20000509") or (@prad < "20000509") or (@riad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:20
S112	54	xml with java with object with serializ\$6	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:20
S113	15	S112 and (((@ad < "20000509") or (@prad < "20000509") or (@riad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:30
S114	7	S113 not S111	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 12:20

S11 5	0	("6854120").URPN.	USPAT	OR	ON	2005/04/26 12:35
S11 6	2	("6504554"   "6621505").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/26 12:35
S11 7	3	("6569207").URPN.	USPAT	OR	ON	2005/04/26 12:38
S11 8	62	xml with object same (delet\$3 remov\$3 destroy\$3 destruct\$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:42
S11 9	4	S118 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:01
S12 0	2	"20030101290"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 14:46
S12 1	2	("6289396").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/04/26 14:59
S12 2	72	(creat\$4 generat\$4) near2 (wrapper proxy interface) with driver with (operating adj system OS kernel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:28
S12 3	72	(creat\$4 generat\$4 compil\$4) near2 (wrapper proxy interface) with driver with (operating adj system OS kernel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:00
S12 4	60	S123 and (((@ad < "20011129") or (@prad < "20011129") or (@rlad < "20011129"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:01
S12 5	96	(creat\$4 generat\$4 build\$3 map\$4) near2 (wrapper proxy interface) with driver with (operating adj system OS kernel)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:29
S12 6	24	S125 not S123	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/26 15:29
S12 7	62	xml with object same (delet\$3 remov\$3 destroy\$3 destruct\$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:00

S128	4	S127 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03
S129	107	xml same (delet\$3 remov\$3 destroy\$3 destruct\$3) near2 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:00
S130	2	xml same (delet\$3 remov\$3 destroy\$3 destruct\$3) near2 object same (shutdown terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:01
S131	12	xml and (delet\$3 remov\$3 destroy\$3 destruct\$3) near object same (shutdown terminat\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:03
S132	0	S131 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:33
S133	69	(delet\$3 remov\$3 destroy\$3 destruct\$3) near object same (shutdown terminat\$3 near access\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:29
S134	31	S133 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:04
S135	4	(client user) with (log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:33
S136	117	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 object	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:54
S137	70	S136 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:06
S138	9	("5577251"   "6044409"   "6157961"   "6175864"   "6189048"   "6249803"   "6253256"   "6260078"   "6272557").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/27 14:53
S139	418	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object module component)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:55

S14 0	419	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 14:55
S14 1	15	(user client) with (log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:05
S14 2	419	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:19
S14 3	152	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:15
S14 4	99	S143 and (((@ad < "20000509") or (@prad < "20000509") or (@riad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:22
S14 5	1	(logout log\$out) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:14
S14 6	6	(logout log\$out) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:17
S14 7	0	(sign\$out) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 15:17
S14 8	6	(logout log\$out) with (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:14
S14 9	18	("5991823").URPN	USPAT	OR	ON	2005/04/27 16:17
S15 0	1267	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down log adj out log\$out) same (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:20
S15 1	1293	(log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down log adj out log\$out end adj access end adj session) same (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:21

S15 2	45	(user client) near3 (log\$off log adj off sign\$off sign adj off terminat\$3 near access\$3 shutdown shut\$4 adj down log adj out log\$out end adj access end adj session) same (delet\$3 remov\$3 destroy\$3 destruct\$3 clean\$up clean adj up) near3 (object module component bean)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:21
S15 3	23	S152 and (((@ad < "20000509") or (@prad < "20000509") or (@rlad < "20000509"))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 16:22
S15 4	5	("5742284").URPN.	USPAT	OR	ON	2005/04/27 16:36
S15 5	109	("5321841").URPN.	USPAT	OR	ON	2005/04/27 16:46
S15 6	28	(US-20020035645-\$ or US-20020073091-\$ or US-20020120859-\$).did. or (US-5584035-\$ or US-5727145-\$ or US-5742284-\$ or US-5774551-\$ or US-5991823-\$ or US-6012098-\$ or US-6269373-\$ or US-6282649-\$ or US-6292792-\$ or US-6367012-\$ or US-6385724-\$ or US-6412070-\$ or US-6496864-\$ or US-6569207-\$ or US-6636831-\$ or US-6643650-\$ or US-6643652-\$ or US-6651168-\$ or US-6658625-\$ or US-6668271-\$ or US-6668327-\$ or US-6687831-\$ or US-6766350-\$ or US-6854120-\$).did. or (CA-2306933-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/04/27 16:50
S15 7	14	S156 and ((remov\$3 delet\$4 clean\$4 destroy\$4 destruct\$4) near5 (object module component))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:03
S15 8	18	xml same space same ((remov\$3 delet\$4 clean\$4 destroy\$4 destruct\$4) near5 (object module component))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:05
S15 9	44	java same space same ((remov\$3 delet\$4 clean\$4 destroy\$4 destruct\$4) near5 (object module component))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:06
S16 0	44	S159 not S158	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:06
S16 1	12	(S160 and (((@ad < "20000501") or (@prad < "20000501") or (@rlad < "20000501")) ) and (object with ((program\$4 with language) or class))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/27 17:06

Find: Searching for PHRASE **xml java**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)  
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

95 documents found. Order: number of citations.

[XML, Java, and the future of the Web - Bosak \(1997\)](#) (Correct) (16 citations)[XML, Java, and the future of the Web Table of Contents](#)[Bosak, Sun Microsystems Last revised 1997.03.10 XML, Java, and the future of the Web Page 2 1.](#)[www.cis.udel.edu/~decker/courses/889c/xmlapps.ps](http://www.cis.udel.edu/~decker/courses/889c/xmlapps.ps)[JavaML: A Markup Language for Java Source Code - Badros \(2000\)](#) (Correct) (15 citations)[from the JavaML home page \[4\]4 Leveraging XML JavaML uses XML as an alternate, structured](#)[back into the classical textual form. Keywords: Java, XML, abstract syntax tree representation,](#)[The next section describes relevant features of Java and XML and section 3 details the markup language and](#)[www.cs.washington.edu/homes/gjb/papers/badros-javaml-www9.ps.gz](http://www.cs.washington.edu/homes/gjb/papers/badros-javaml-www9.ps.gz)[Implementing Product-Line Features by Composing Component Aspects - Griss \(2000\)](#) (Correct) (13 citations)[Facilitators. Our current agents are built using Java, XML and HTTP others use \(D\)COM, CVisual Basic](#)[www.hpl.hp.com/reuse/papers/spic1-griss.pdf](http://www.hpl.hp.com/reuse/papers/spic1-griss.pdf)[Leveled Commitment Contracts and Strategic Breach - Sandholm, Lesser \(2001\)](#) (Correct) (7 citations)[Internet, WWW, EDI, HTML, K QML, FIPA, XML, Java, Odyssey,Voyager, Concordia, T elescript,](#)[www.cs.wustl.edu/~sandholm/leveled.geb\\_reviewed.pdf](http://www.cs.wustl.edu/~sandholm/leveled.geb_reviewed.pdf)[The Software Architecture of a Distributed.. - Walker, Li, Rana.. \(2000\)](#) (Correct) (5 citations)[role of software technologies such as CORBA, Java, and XML is outlined. An XML-based component model is](#)[of a generic distributed PSE. The use of CORBA, Java, XML, and other software technologies is discussed,](#)[www.cm.cf.ac.uk/user/M.S.Shields/docs/publications/cpande-final.ps](http://www.cm.cf.ac.uk/user/M.S.Shields/docs/publications/cpande-final.ps)[Leveled-Commitment Contracting: A Backtracking ... - Sandholm, al. \(2002\)](#) (Correct) (4 citations)[the World Wide Web, EDI, HTML, KQML, FIPA, XML, JAVA, ODYSSEY, VOYAGER, CONCORDIA, AGLETS,](#)[and so](#)[www-2.cs.cmu.edu/~sandholm/leveled.aimag02.pdf](http://www-2.cs.cmu.edu/~sandholm/leveled.aimag02.pdf)[XJ: Integration of XML Processing into Java - Matthew Harren Dept \(2004\)](#) (Correct) (3 citations)[General Terms Languages, Design Keywords Xml, Java, Data Integration 1. Introduction Xml \[12\]](#)[Java Source Code, And Implementing Extensions To Java. Xml Schemas Imported By Xj Xjsource Xml Schem](#)[As](#)[www.www2004.org/proceedings/docs/2p340.pdf](http://www.www2004.org/proceedings/docs/2p340.pdf)[RDF Query Languages: A state-of-the-art - Greg Karvounarakis Institute \(1999\)](#) (Correct) (3 citations)[proposed by IBM, is based upon the RDF for XML Java package \[1\]created by the first. This tool](#)[lists.w3.org/Archives/Public/www-rdf-interest/1999Nov/att-0017/01-rdfql.pdf](http://lists.w3.org/Archives/Public/www-rdf-interest/1999Nov/att-0017/01-rdfql.pdf)[Managing complex documents over the WWW: a case study for.. - Ciancarini, Vitali, Mascolo \(1999\)](#) (Correct) (3 citations)[management systems, hypertext, active documents, XML, Java, specification documents, Z notation. 1.](#)[www.cs.unibo.it/~mascolo/www/tr99.ps.gz](http://www.cs.unibo.it/~mascolo/www/tr99.ps.gz)[XML Grammar and Parser for the Web Service Offerings Language - Patel \(2003\)](#) (Correct) (2 citations)[is developed in Java, based on the Apache Xerces2 Java XML parser. The WSOL parser enables validation of](#)[A brief review of XML parsing and the Xerces2 Java XML parser is also provided in this chapter. Chapter](#)[of XML parsers exist, but, only the Xerces2 Java XML parser is discussed here since it is relevant to](#)[www.sce.carleton.ca/netmanage/papers/KrutiPatelThesisFinal.pdf](http://www.sce.carleton.ca/netmanage/papers/KrutiPatelThesisFinal.pdf)[Talking OWLs: Towards an Ontology Verbalizer - Graham Wilcock University \(2003\)](#) (Correct) (1 citation)[LISP, LOOM and KPML. Although we can now use Java, XML, RDF and OWL, we still need to help users to](#)

[8]a speech synthesizer implemented entirely in **Java**. XML-based generation can naturally be used for [www.ling.helsinki.fi/~gwilcock/Pubs/ISWC-03.pdf](http://www.ling.helsinki.fi/~gwilcock/Pubs/ISWC-03.pdf)

A Summary of Grid Computing Environments - Geoffrey Fox Dennis (2002) (Correct) (1 citation)  
instance, there is a trend to use more heavily **Java**, **XML** and Web Services but this will only be [grids.ucs.indiana.edu/ptliupages/publications/gcesurvey.pdf](http://grids.ucs.indiana.edu/ptliupages/publications/gcesurvey.pdf)

Managing Security Policies in a Distributed Environment.. - Vuong, Smith, Deng (2001) (Correct) (1 citation)  
Keywords Managing security policies, RBAC, **XML**, **Java**, distributed authorization, meta-language. 1.  
We have demonstrated our concepts using **XML** and **Java**. **XML**, a meta-language, provides a very schema. 3.1 Implementing RBAC Policy Using **Java** and **XML** Technologies Our research employs **XML** for [www.cs.fiu.edu/~smithg/papers/sac01.pdf](http://www.cs.fiu.edu/~smithg/papers/sac01.pdf)

WebS: An Architecture for Non-Interactive Web - Phatak Esakki Badrinath (2001) (Correct) (1 citation)  
a prototype that we have implemented using **JAVA**, **XML** and JDBC. The prototype consists of a client [www.cs.rutgers.edu/pub/technical-reports/dcs-tr-405.ps.Z](http://www.cs.rutgers.edu/pub/technical-reports/dcs-tr-405.ps.Z)

A Collaborative Courseware Generating System Based on... - Changtao Qu Inst (Correct) (1 citation)  
for applying JSR 031 is mainly to automate the **Java XML** data-binding process and to reduce programming [www.kbs.uni-hannover.de/~changtao/qu\\_/\\_lalt.pdf](http://www.kbs.uni-hannover.de/~changtao/qu_/_lalt.pdf)

TRUEVIZ: a groundtruth/metadata editing and.. - Kanungo, Lee.. (2001) (Correct) (1 citation)  
visualization, multilingual, multiplatform, **Java**, **XML**, OCR 1. INTRODUCTION Groundtruth data is Image Groundtruth TrueViz Multi-Platform/**Java XML** Format Document Image Groundtruth Transcriber 27. B. McLaughlin, **Java and XML**, O'Reilly, 2000. 28. T. U. Consortium, The [www.cfar.umd.edu/~kanungo/software/./pubs/spie01-tv.ps.gz](http://www.cfar.umd.edu/~kanungo/software/./pubs/spie01-tv.ps.gz)

Web&: An Architecture for Non-Interactive Web - Phatak, Esakki, Badrinath.. (2001) (Correct) (1 citation)  
a prototype that we have implemented using **JAVA**, **XML** and JDBC. The prototype consists of client [www.cs.rutgers.edu/~iftode/web.ps](http://www.cs.rutgers.edu/~iftode/web.ps)

Supporting Distributed Cooperative Work in CAGIS - Ramampiaro (2000) (Correct) (1 citation)  
software engineering, Internet computing: **JAVA**, **XML**, Intelligent agent software, Database systems, [www.idi.ntnu.no/~alfw/publications/sea2000-cagis-environment.pdf](http://www.idi.ntnu.no/~alfw/publications/sea2000-cagis-environment.pdf)

Personal Automation: Combining Personal Information - Management Systems And (Correct)  
research project. Keywords PIM, Rule Engines, **Java**, **XML**, Messaging, Information Retrieval, AI 1. [www10.org/cdrom/posters/1137.pdf](http://www10.org/cdrom/posters/1137.pdf)

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)